



**SAFETY DATA SHEET**  
**AUTO AIR COLORS**  
**10/05/15**

Manufacturer or Distributor: **Color Craft, Ltd./Createx Colors**  
**14 Airport Park Road**  
**East Granby, Connecticut 06026**  
**Phone: 800-509-6563**  
**Fax: 1-860-653-0643**

Information Telephone Number: **800-243-2712**

Emergency Telephone Number: **800-243-2712**

For Health Emergencies: **Poison Control Center: 1-888-516-2502**

**SECTION I – PRODUCT IDENTIFICATION**

Product Name: Auto Air Colors

Product Number: Air-Brush

Product Sizes: NA

Brand Name: Auto Air Colors

Product Class: Acrylic Paint, Artist

**SECTION II – HAZARDS IDENTIFICATION**

Information pertaining to particular dangers for man and environment: This product has been classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements: Conforms to ASTM D-4236

Signal Word:

Hazard Statement:

Precaution Statement:

Children's Statement: Keep Out of Reach of Children

Classification of the Product:  
NFPA: Health 1 - Caution. May cause irritation.  
Flammability 0 - Not Combustible  
Reactivity 0 - Stable

HMIS: Health 1 - Slight Hazard  
Flammability 0 - Minimal Hazard  
Physical Hazard 0 - Minimal Hazard

Regulation (EC) No. 1272/2008: Some of the ingredients are classified as dangerous under this regulation.

Export and Import of Dangerous Chemicals Regulation (EC)No. 649/2012: This product and its ingredients are listed in the Annex I of the regulation.

Directive 67/548/EEC & Directive 1999/45/EC: Some of the ingredients are classified as dangerous under this regulation.



**SAFETY DATA SHEET**  
**AUTO AIR COLORS**  
10/05/15

**SECTION III – COMPOSITION / INFORMATION ON INGREDIENTS**

Substances:

Risk and Safety Phrases:

Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) No 1272/2008) and according to DSD (Dangerous Substances Directive (67/548/EEC)) and DPD (Dangerous Preparations Directive (1999/45/EC)) These ingredients are regarded as trade secrets.

**SECTION IV – FIRST AID MEASURES**

Inhalation:

Supply fresh air. If required, provide artificial respiration. Consult with a doctor, physician or qualified health professional if symptoms persist. In case of unconsciousness place patient securely in side position for transportation (if needed).

Skin Contact:

Remove any contaminated clothing. Wash affected area immediately with water and soap and rinse thoroughly.

Eye Contact:

Flush area with water, lifting the upper and lower lids until no evidence of product remains. Get medical attention. Do not wear contact lenses while handling.

Ingestion:

Drink water or milk to dilute. Do not induce vomiting. Contact a physician..

**SECTION V – FIRE FIGHTING MEASURES**

Extinguishing Media:

Water, foam, carbon dioxide or dry chemical equipment.

Fire/Explosion Hazards:

N/A

Flashpoint/Flammability:

Greater than 200 °F / Not Flammable

**SECTION VI – ACCIDENTAL RELEASE MEASURES**

Environmental precautions:

No product should be released to the environment without due care.

Methods and Materials for Containment and Cleaning up:

Contain spill. Recover as much as possible with sand, soil or similar product. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

**SECTION VII – HANDLING AND STORAGE**

Safe Handling:

Use under ventilated conditions. Avoid eye contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use.

Storage:

Keep the sample in a cool dry ventilated area.



**SAFETY DATA SHEET**  
**AUTO AIR COLORS**  
10/05/15

**SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION**

Personal Protective Equipment:	Wear safety goggles and protective gloves to avoid dust contact.
Exposure Limits:	N/A to this mixture.
Respiratory and Ventilation:	Wear approved NIOSH/MSHA respirator if exposure to mist or vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.
Skin Protection:	Handle with non-porous nitrile gloves. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.  Full Contact Material: Nitrile rubber Data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Eye Protection:	Safety glasses conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES**

Appearance:	Colored paint
Physical State:	Liquid
Color:	See product list in Section 16
Odor:	Detergent-like
Boiling Point:	Not determined
Freezing Point:	Not determined
State (pH):	7.5-8.5
Specific Gravity:	1.0 - 2.0
Viscosity:	25 mPas
Flashpoint:	Greater than 200 °F
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Solubility in water:	Miscible



**SAFETY DATA SHEET**  
**AUTO AIR COLORS**  
10/05/15

**SECTION X – STABILITY AND REACTIVITY**

Reactivity:	Reaction with strong oxidizing agents.
Chemical Stability:	Stable
Conditions to Avoid:	All sources of ignition. Avoid heat.
Incompatible materials:	Strong oxidizing agents, strong acids, strong bases, amines, ammonia, halogenated compounds
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

**SECTION XI – TOXICOLOGICAL INFORMATION**

Health Effects:	Studies have not been performed on this particular mixture. The information below is based on data on the individual ingredients.
Oral:	Expected to be greater than 2,000 mg/kg (rats)
Ingestion:	Nausea, vomiting and abdominal pain.
Inhalation:	This product poses no inhalation risk.
Dermal:	Not a skin sensitizer.
Eye Effects:	

**SECTION XII – ECOLOGICAL INFORMATION**

Toxicity:	No information available.
Aquatic toxicity:	No information available.
Persistence and degradability:	A mixture of biodegradable and non biodegradable ingredients. No other information is available.
Bio accumulative potential:	Not expected to bioaccumulate significantly.
Mobility in soil:	No information available.
Additional ecological information:	No information available.

**SECTION XIII – DISPOSAL CONSIDERATIONS**

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority. Contact specialist disposal companies. Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

**SECTION XIV – TRANSPORTATION INFORMATION**

**The following transportation categories do not apply to this mixture sold as a consumer use product (non-bulk).**

**DOT Non-Bulk**

Shipping Name	Not known
Technical Shipping Name	Not known
Hazard Class	Not known
UN Number	Not known
Packing Group	Not known



**SAFETY DATA SHEET**  
**AUTO AIR COLORS**  
**10/05/15**

**IMDG**

Shipping Name	Not known
Technical Shipping Name	Not known
Hazard Class	Not known
UN Number	Not known
Packing Group	Not known
EmS Number	Not known
Marine Pollutant	Not known

**ICAO/IATA**

Shipping Name	Not known
Technical Shipping Name	Not known
Hazard Class	Not known
UN Number	Not known
Packing Group	Not known
Marine Pollutant	Not known

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

**SECTION XV – REGULATORY INFORMATION**

Contents of this SDS comply with Osha Hazard Communication Standard 29 CFR 1910.1200EPA SARA Title III Chemical Listings:

None

Section 302.4 Extremely Hazardous Substances (40 CFR 355):

None

Section 313 Toxic Chemicals (40 CFR 372):

None

**International Regulations**

*Canadian WHMIS:*

This product is a controlled product under Canada's workplace hazardous materials information system.

It contains the following toxic or highly toxic materials: Aluminum Oxide  
Ferric Oxide  
Mica  
Propylene Glycol

**Supplemental State Compliance Information:**

This product contains the following chemical(s) listed in the state of California under their Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm:

None

This product contains the following chemical(s) listed under New Jersey's Right to Know Program:

Aluminum Oxide  
Mica  
Pigment Red 101

This product contains the following chemical(s) requiring notification to the state of Washington under their Children's Safe Products Act:

None

Under CPSC's consumer product regulations (16CFR1500.3 and 150014), this product has the following required acute and chronic hazard labeling:

None



**SAFETY DATA SHEET**  
**AUTO AIR COLORS**  
10/05/15

**SECTION XVI – OTHER INFORMATION**

**COLOR INFORMATION**

This SDS applies to the following colors which are associated with hazardous and /or non-hazardous ingredients.

<b>Product Color</b>	<b>SKU</b>	<b>Hazardous Ingredient</b>
4101 Aluminum Base (Fine)		(None)
4102 Aluminum Base (Medium)		(None)
4103 Aluminum Base (Coarse)		(None)
4104 Quicksilver Chrome		(None)
4001 Sealer White		(None)
4002 Sealer Dark		(None)
4004 Transparent Base		(None)
4201 Semi-Opaque Brite White		(None)
4202 Semi-Opaque Lemon Yellow		(None)
4203 Semi-Opaque Flame Yellow		(None)
4204 Semi-Opaque Chrome Yellow		(None)
4205 Semi-Opaque Flame Orange		(None)
4206 Semi-Opaque Flame Red		(None)
4207 Semi-Opaque Deep Red		(None)
4208 Semi-Opaque Emerald Green		(None)
4209 Semi-Opaque Dark Green		(None)
4210 Semi-Opaque Aqua		(None)
4211 Semi-Opaque Caribbean Blue		(None)
4212 Semi-Opaque Brite Blue		(None)
4213 Semi-Opaque Process Blue		(None)
4214 Semi-Opaque Midnight Blue		(None)
4215 Semi-Opaque Fuchsia		(None)
4216 Semi-Opaque Deep Purple		(None)
4217 Semi-Opaque Light Brown		(None)
4218 Semi-Opaque Dark Brown		(None)
4219 Semi-Opaque Medium Gray		(None)
4220 Semi-Opaque Deep Black		(None)
4221 Semi-Opaque Cream		(None)
4230 Transparent White		(None)
4231 Transparent Yellow		(None)
4232 Transparent Sun Gold		(None)
4233 Transparent Orange		(None)
4234 Transparent Fire Red		(None)
4235 Transparent Traffic Red		(None)
4236 Transparent Cherry Red		(None)
4237 Transparent Apple Green		(None)
4238 Transparent Brite Green		(None)
4241 Transparent Blue		(None)
4242 Transparent Marine Blue		(None)
4245 Transparent Magenta		(None)
4246 Transparent Red Violet		(None)
4247 Transparent Purple		(None)
4248 Transparent Root Beer		(None)
4249 Transparent Black		(None)
4250 Transparent Beige		(None)
4251 Transparent Tan		(None)
4253 Transparent Red Oxide		(None)
4255 Transparent Cobalt Blue		(None)
4256 Transparent Smoke Black		(None)
4257 Transparent Jet Black		(None)
4258 Transparent Gloss Black		(None)



**SAFETY DATA SHEET**  
**AUTO AIR COLORS**  
10/05/15

Product Color	SKU	Hazardous Ingredient
4260 Fluorescent Hot Pink		(None)
4261 Fluorescent Hot Yellow		(None)
4262 Fluorescent Hot Green		(None)
4263 Fluorescent Hot Orange		(None)
4264 Fluorescent Hot Berry		(None)
4265 Fluorescent Hot Red		(None)
4266 Fluorescent Hot Purple		(None)
4267 Fluorescent Hot Sunburst		(None)
4301 Pearl White		(None)
4302 Pearl Silver		(None)
4303 Pearl Gold		(None)
4304 Pearl Lime Green		(None)
4305 Pearl Green		(None)
4306 Pearl Teal		(None)
4308 Pearl Blue		(None)
4309 Pearl Red		(None)
4310 Pearl Magenta		(None)
4311 Pearl Plum		(None)
4312 Pearl Purple		(None)
4314 Pearl Black		(None)
4315 Pearl Orange		(None)
4316 Pearl Radiant Red		(None)
4330 Metallic White (Fine)		(None)
4331 Metallic White (Coarse)		(None)
4332 Metallic Silver		(None)
4333 Metallic Gold		(None)
4334 Metallic Bronze		(None)
4335 Metallic Copper		(None)
4337 Metallic Blue Silver		(None)
4338 Metallic Burnt Orange		(None)
4340 Metallic Midnight Blue		(None)
4341 Metallic Fastback Green		(None)
4342 Metallic Elegance		(None)
4343 Metallic Platinum		(None)
4344 Metallic Charcoal-Viola		(None)
4345 Metallic Pewter		(None)
4346 Metallic Light Brown		(None)
4347 Metallic Dark Brown		(None)
4348 Metallic Rose		(None)
4349 Metallic Actress Gold		(None)
4350 Iridescent Brite Yellow		(None)
4353 Iridescent Apple Red		(None)
4355 Iridescent Brite Blue		(None)
4356 Iridescent Electric Blue		(None)
4358 Iridescent Purple		(None)
4401 Gem Sapphire		(None)
4404 Gem Ruby		(None)
4410 Flair Tint Bronze		(None)
4411 Flair Tint Violet		(None)
4412 Flair Teal / Purple		(None)
4413 Flair Blue Copper		(None)
4446 Flair Silver Spectrum		(None)



**SAFETY DATA SHEET**  
**AUTO AIR COLORS**  
10/05/15

<b>Product Color</b>	<b>SKU</b>	<b>Hazardous Ingredient</b>
4420 Hi-Lite Gold		(None)
4421 Hi-Lite Orange		(None)
4422 Hi-Lite Red		(None)
4423 Hi-Lite Green		(None)
4424 Hi-Lite Blue		(None)
4425 Hi-Lite Purple		(None)
4501 Hot Rod Sparkle White		(None)
4502 Hot Rod Sparkle Spectrum		(None)
4503 Hot Rod Sparkle Gold		(None)
4504 Hot Rod Sparkle Blue		(None)
4505 Hot Rod Sparkle Green		(None)
4506 Hot Rod Sparkle Red		(None)
4507 Hot Rod Sparkle Purple		(None)
4520 Cosmic Sparkle Silver		(None)
4521 Cosmic Sparkle Gold		(None)
4522 Cosmic Sparkle Red		(None)
4523 Cosmic Sparkle Copper		(None)
4524 Cosmic Sparkle Blue		(None)
4525 Cosmic Sparkle Green		(None)
4526 Cosmic Sparkle Autumn Red		(None)
4530 Sparklescent Mango II		(None)
4531 Sparklescent Electric Green II		(None)
4532 Sparklescent Tequila Yellow II		(None)
4533 Sparklescent Toxic Green II		(None)
4534 Sparklescent Porn Star Pink II		(None)
4535 Sparklescent Rock Star Red II		(None)
4536 Sparklescent Real Teal II		(None)
4537 Sparklescent Nightmare Blue II		(None)
4538 Sparklescent Fine Wine II		(None)
4539 Sparklescent Blizzard Blue II		(None)
4590 Sparklescent Bada Bling Silver		(None)
4592 Sparklescent Radberry		(None)
4593 Sparklescent Sungold Orange		(None)
4594 Sparklescent Lilac		(None)
4601 Candy Pigment Yellow		(None)
4602 Candy Pigment Sunset		(None)
4603 Candy Pigment Orange		(None)
4605 Candy Pigment Apple Red		(None)
4606 Candy Pigment Black Cherry		(None)
4607 Candy Pigment Brite Blue		(None)
4608 Candy Pigment Teal Blue		(None)
4609 Candy Pigment Emerald Green		(None)
4610 Candy Pigment Deep Green		(None)
4611 Candy Pigment Magenta		(None)
4612 Candy Pigment Purple		(None)
4613 Candy Pigment Racing Blue		(None)
4614 Candy Pigment Root Beer		(None)
4615 Candy Pigment Black		(None)
4616 Candy Pigment Brandy		(None)
4617 Candy Pigment Old Gold		(None)
4618 Candy Pigment Racing Green		(None)
4619 Candy Pigment Black Magenta		(None)





**SAFETY DATA SHEET**  
**AUTO AIR COLORS**  
**10/05/15**

Last Revision Date: 10/05/2015

Reason for Issue: GHS Format  
Prepared by: Rudolph J. Jaeger, Ph.D., DABT, ERT (UK)  
Chief Toxicologist and President  
ENVIRONMENTAL MEDICINE, INC.  
263 CENTER AVENUE  
WESTWOOD, NJ 07675  
jaegerr@envmed.com  
201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to Color Craft Ltd./ Createx Color. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will Color Craft Ltd./ Createx Color. assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty express or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

**Brand Names**

This SDS applies to the following brand names: Auto Air Colors